
CCL Z2

New Retail Self-Checkout



























CCL Z2T

New Retail Self-Checkout
















CCL Z2T







Windows		Android
27″ 1920*1080	Display	27" 1920*1080
Projected Capacitive (10-point multi-touch)	Touch	Projected Capacitive (10-point multi-touch)
i3 / i5	Processor	RK3399
4G / 8G	System Memory	4G
1286 / 2566	Storage Device	64G
Lan 10 / 100 / 1000Mbps	network	Lan 10 / 100 / 1000Mbps
Support 1D&2D and scanning mobile phone screen	Scanner	Support ID&2D and scanning mobile phone screen
Epson TM-T82 III &TM-T88VI	Printer	Epson TM-T82 III &TM-T88VI
2.4G	WiFi	2.4G
RGB Color LED Indicator	Status Indicator	RGB Color LED Indicator
3 tracks ISO	MSR	RGB Color LED Indicator 3 tracks ISO
		<u> </u>



CCL Z2K

New Retail Self-Checkout





CCL Z2K

Technical Data





Status Indicator



RGB Color LED Indicator

5″ 1920*1080	Display	21.5″ 1920*1080
multi-touch)	Touch	Projected Capacitive (10-point multi-touch)
i3 / i5	Processor	RK3399
4G / 8G	System Memory	4G
128G / 256G	Storage Device	64G
0 / 1000Mbps	network	Lan 10 / 100 / 1000Mbps
ohone screen	Scanner	Support 1D&2D and scanning mobile phone screen
IV88T-MT&Ⅲ ^Ω	Printer	Epson TM-T82 III &TM-T88VI
2.4G	WiFi	2.4G

RGB Color LED Indicator

CCL TECH SAS info@cclyun.com